# Insertion bridge - EB 80- DIK RD - 2715953

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (http://phoenixcontact.com/download)



Insertion bridge, pitch: 6.2 mm, number of positions: 80, color: red

RoHS

## Key Commercial Data

| | |
|---|---|
| Packing unit | 1 pc |
| GTIN | 4 017918 061708 |
| GTIN | 4017918061708 |
| Weight per Piece (excluding packing) | 40.000 g |
| Custom tariff number | 85366990 |
| Country of origin | Germany |

## Technical data

### Technical data

| | |
|---|---|
| Color | red |
| Material | CU |
| Number of positions | 80 |
| Pitch | 6.2 mm |

### Environmental Product Compliance

| | |
|---|---|
| China RoHS | Environmentally friendly use period: unlimited = EFUP-e |
| | No hazardous substances above threshold values |

# Insertion bridge - EB 80- DIK RD - 2715953

## Classifications

### eCl@ss

| | |
|---|---|
| eCl@ss 10.0.1 | 27141140 |
| eCl@ss 4.0 | 27141100 |
| eCl@ss 4.1 | 27141100 |
| eCl@ss 5.0 | 27141100 |
| eCl@ss 5.1 | 27141100 |
| eCl@ss 6.0 | 27141100 |
| eCl@ss 7.0 | 27141140 |
| eCl@ss 8.0 | 27141140 |
| eCl@ss 9.0 | 27141140 |

### ETIM

| | |
|---|---|
| ETIM 2.0 | EC000489 |
| ETIM 3.0 | EC000489 |
| ETIM 4.0 | EC000489 |
| ETIM 5.0 | EC000489 |
| ETIM 6.0 | EC000489 |
| ETIM 7.0 | EC000489 |

### UNSPSC

| | |
|---|---|
| UNSPSC 6.01 | 30211829 |
| UNSPSC 7.0901 | 39121426 |
| UNSPSC 11 | 39121426 |
| UNSPSC 12.01 | 39121426 |
| UNSPSC 13.2 | 39121426 |
| UNSPSC 18.0 | 39121426 |
| UNSPSC 19.0 | 39121426 |
| UNSPSC 20.0 | 39121426 |
| UNSPSC 21.0 | 39121426 |

## Approvals

### Approvals

Approvals

EAC / EAC

Ex Approvals

# Insertion bridge - EB 80- DIK RD - 2715953

## Approvals

### Approval details

| | | |
|---|---|---|
| EAC | | EAC-Zulassung |
| EAC | | RU C-DE.A*30.B.01742 |

Phoenix Contact 2020 © - all rights reserved
http://www.phoenixcontact.com