# UNIFOX RT-CK 4.0 - Contact removal tool

1072064

https://www.phoenixcontact.com/us/products/1072064

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Contact removal tool, for rotated CK-4,0-... contacts

## Your advantages

- Made from special high-grade tool steel
- Safe transport and protection of the tool by integrated plastic bracket

## Commercial data

| | |
|---|---|
| Item number | 1072064 |
| Packing unit | 1 pc |
| Minimum order quantity | 1 pc |
| Sales key | BH31 |
| Product key | BH3171 |
| Catalog page | Page 398 (C-3-2019) |
| GTIN | 4055626762166 |
| Weight per piece (including packing) | 37.6 g |
| Weight per piece (excluding packing) | 37.3 g |
| Customs tariff number | 82032000 |
| Country of origin | DE |

## Technical data

### Notes

| | |
|---|---|
| General | for contact inserts HC-BB.../ HC-Q05.../ HC-COM8.../ HC-A 10-E. ..C / HC-A 16-E...C / HC-K 8/24-E...C / HC-M-06..../ HC-M-08.... /HC-M-20... |

### Product properties

| | |
|---|---|
| Product type | Universal tools |

### Dimensions

| | |
|---|---|
| Width | 26.8 mm |
| Height | 26.8 mm |
| Length | 128 mm |

## Approvals

To download certificates, visit the product detail page: https://www.phoenixcontact.com/us/products/1072064

**EAC**
Approval ID: RU x-DE.xx08.B.02974

## Classifications

### ECLASS

| | |
|---|---|
| ECLASS-11.0 | 27440192 |
| ECLASS-12.0 | 27440192 |
| ECLASS-13.0 | 21045190 |

### ETIM

| | |
|---|---|
| ETIM 9.0 | EC002943 |

### UNSPSC

| | |
|---|---|
| UNSPSC 21.0 | 39121400 |

## Environmental product compliance

EU RoHS

| | |
|---|---|
| Fulfills EU RoHS substance requirements | Not applicable, No electrical and electronic equipment (EEE), cannot be used in EEE |

EU REACH SVHC

| | |
|---|---|
| REACH candidate substance (CAS No.) | No substance above 0.1 wt% |

## Accessories

### CK1,6-ED-0,37F AG - Crimp contact

1266249

https://www.phoenixcontact.com/us/products/1266249



Crimp contact, contact diameter: 1.6 mm, turned, Socket, contact material: Copper alloy, lead-free, contact surface: silver-plated, connection cross section: 0.14 $mm^2$ ... 0.34 $mm^2$, AWG 24 ... 22

### CK1,6-ED-0,37M AG - Crimp contact

1266193

https://www.phoenixcontact.com/us/products/1266193



Crimp contact, contact diameter: 1.6 mm, turned, Pin, contact material: Copper alloy, lead-free, contact surface: silver-plated, connection cross section: 0.14 $mm^2$ ... 0.34 $mm^2$, AWG 26 ... 22

## CK1,6-ED-0,50M AG - Crimp contact

1266195

https://www.phoenixcontact.com/us/products/1266195



Crimp contact, contact diameter: 1.6 mm, turned, Pin, contact material: Copper alloy, lead-free, contact surface: silver-plated, connection cross section: 0.5 $mm^2$ ... 0.5 $mm^2$, AWG 20

## CK1,6-ED-0,50F AG - Crimp contact

1266252

https://www.phoenixcontact.com/us/products/1266252



Crimp contact, contact diameter: 1.6 mm, turned, Socket, contact material: Copper alloy, lead-free, contact surface: silver-plated, connection cross section: 0.5 $mm^2$ ... 0.5 $mm^2$, AWG 20

## CK1,6-ED-0,75M AG - Crimp contact

1266450

https://www.phoenixcontact.com/us/products/1266450



Crimp contact, contact diameter: 1.6 mm, turned, Pin, contact material: Copper alloy, lead-free, contact surface: silver-plated, connection cross section: 0.75 $mm^2$ ... 0.75 $mm^2$, AWG 18

## CK1,6-ED-0,75F AG - Crimp contact

1266259

https://www.phoenixcontact.com/us/products/1266259



Crimp contact, contact diameter: 1.6 mm, turned, Socket, contact material: Copper alloy, lead-free, contact surface: silver-plated, connection cross section: 0.75 $mm^2$ ... 0.75 $mm^2$, AWG 18

## CK1,6-ED-1,00M AG - Crimp contact

1266244

https://www.phoenixcontact.com/us/products/1266244



Crimp contact, contact diameter: 1.6 mm, turned, Pin, contact material: Copper alloy, lead-free, contact surface: silver-plated, connection cross section: 1 $mm^2$ ... 1 $mm^2$, AWG 18

## CK1,6-ED-1,00F AG - Crimp contact

1266296

https://www.phoenixcontact.com/us/products/1266296



Crimp contact, contact diameter: 1.6 mm, turned, Socket, contact material: Copper alloy, lead-free, contact surface: silver-plated, connection cross section: 1 $mm^2$ ... 1 $mm^2$, AWG 18

## CK1,6-ED-1,50M AG - Crimp contact

1266245

https://www.phoenixcontact.com/us/products/1266245



Crimp contact, contact diameter: 1.6 mm, turned, Pin, contact material: Copper alloy, lead-free, contact surface: silver-plated, connection cross section: 1.5 $mm^2$ ... 1.5 $mm^2$, AWG 16

## CK1,6-ED-1,50F AG - Crimp contact

1266263

https://www.phoenixcontact.com/us/products/1266263



Crimp contact, contact diameter: 1.6 mm, turned, Socket, contact material: Copper alloy, lead-free, contact surface: silver-plated, connection cross section: 1.5 $mm^2$ ... 1.5 $mm^2$, AWG 16

## CK2,5-ED-0,50F AU - Crimp contact

1273564

https://www.phoenixcontact.com/us/products/1273564



Crimp contact, contact diameter: 2.5 mm, turned, Socket, contact material: Copper alloy, lead-free, contact surface: gold-plated, connection cross section: 0.5 $mm^2$ ... 0.5 $mm^2$, AWG 20

## CK2,5-ED-0,50M AG - Crimp contact

1273667

https://www.phoenixcontact.com/us/products/1273667



Crimp contact, contact diameter: 2.5 mm, turned, Pin, contact material: Copper alloy, lead-free, contact surface: silver-plated, connection cross section: 0.5 $mm^2$ ... 0.5 $mm^2$, AWG 20

## CK2,5-ED-0,50M AU - Crimp contact

1273601

https://www.phoenixcontact.com/us/products/1273601



Crimp contact, contact diameter: 2.5 mm, turned, Pin, contact material: Copper alloy, lead-free, contact surface: gold-plated, connection cross section: 0.5 $mm^2$ ... 0.5 $mm^2$, AWG 20

## CK2,5-ED-0,50F AG - Crimp contact

1273612

https://www.phoenixcontact.com/us/products/1273612



Crimp contact, contact diameter: 2.5 mm, turned, Socket, contact material: Copper alloy, lead-free, contact surface: silver-plated, connection cross section: 0.5 $mm^2$ ... 0.5 $mm^2$, AWG 20

## CK2,5-ED-0,75F AG - Crimp contact

1273611

https://www.phoenixcontact.com/us/products/1273611



Crimp contact, contact diameter: 2.5 mm, turned, Socket, contact material: Copper alloy, lead-free, contact surface: silver-plated, connection cross section: 0.75 $mm^2$ ... 0.75 $mm^2$, AWG 18

## CK2,5-ED-1,00M AU - Crimp contact

1273582

https://www.phoenixcontact.com/us/products/1273582



Crimp contact, contact diameter: 2.5 mm, turned, Pin, contact material: Copper alloy, lead-free, contact surface: gold-plated, connection cross section: 1 $mm^2$ ... 1 $mm^2$, AWG 18

## CK2,5-ED-1,00M AG - Crimp contact

1273665

https://www.phoenixcontact.com/us/products/1273665



Crimp contact, contact diameter: 2.5 mm, turned, Pin, contact material: Copper alloy, lead-free, contact surface: silver-plated, connection cross section: 1 $mm^2$ ... 1 $mm^2$, AWG 18

## CK2,5-ED-1,00F AU - Crimp contact

1271379

https://www.phoenixcontact.com/us/products/1271379



Crimp contact, contact diameter: 2.5 mm, turned, Socket, contact material: Copper alloy, lead-free, contact surface: gold-plated, connection cross section: 1 $mm^2$ ... 1 $mm^2$, AWG 18

## CK2,5-ED-1,00F AG - Crimp contact

1273610

https://www.phoenixcontact.com/us/products/1273610



Crimp contact, contact diameter: 2.5 mm, turned, Socket, contact material: Copper alloy, lead-free, contact surface: silver-plated, connection cross section: 1 $mm^2$ ... 1 $mm^2$, AWG 18

## CK2,5-ED-1,50M AU - Crimp contact

1273581

https://www.phoenixcontact.com/us/products/1273581



Crimp contact, contact diameter: 2.5 mm, turned, Pin, contact material: Copper alloy, lead-free, contact surface: gold-plated, connection cross section: 1.5 $mm^2$ ... 1.5 $mm^2$, AWG 16

## CK2,5-ED-1,50M AG - Crimp contact

1273664

https://www.phoenixcontact.com/us/products/1273664



Crimp contact, contact diameter: 2.5 mm, turned, Pin, contact material: Copper alloy, lead-free, contact surface: silver-plated, connection cross section: 1.5 $mm^2$ ... 1.5 $mm^2$, AWG 16

## CK2,5-ED-1,50F AU - Crimp contact

1271375

https://www.phoenixcontact.com/us/products/1271375



Crimp contact, contact diameter: 2.5 mm, turned, Socket, contact material: Copper alloy, lead-free, contact surface: gold-plated, connection cross section: 1.5 $mm^2$ ... 1.5 $mm^2$, AWG 16

## CK2,5-ED-1,50F AG - Crimp contact

1273609

https://www.phoenixcontact.com/us/products/1273609



Crimp contact, contact diameter: 2.5 mm, turned, Socket, contact material: Copper alloy, lead-free, contact surface: silver-plated, connection cross section: 1.5 $mm^2$ ... 1.5 $mm^2$, AWG 16

## CK2,5-ED-2,50M AU - Crimp contact

1273572

https://www.phoenixcontact.com/us/products/1273572



Crimp contact, contact diameter: 2.5 mm, turned, Pin, contact material: Copper alloy, lead-free, contact surface: gold-plated, connection cross section: 2.5 $mm^2$ ... 2.5 $mm^2$, AWG 14

## CK2,5-ED-2,50M AG - Crimp contact

1273663

https://www.phoenixcontact.com/us/products/1273663



Crimp contact, contact diameter: 2.5 mm, turned, Pin, contact material: Copper alloy, lead-free, contact surface: silver-plated, connection cross section: 2.5 $mm^2$ ... 2.5 $mm^2$, AWG 14

## CK2,5-ED-2,50F AU - Crimp contact

1271376

https://www.phoenixcontact.com/us/products/1271376



Crimp contact, contact diameter: 2.5 mm, turned, Socket, contact material: Copper alloy, lead-free, contact surface: gold-plated, connection cross section: 2.5 $mm^2$ ... 2.5 $mm^2$, AWG 14

## CK2,5-ED-2,50F AG - Crimp contact

1273607

https://www.phoenixcontact.com/us/products/1273607



Crimp contact, contact diameter: 2.5 mm, turned, Socket, contact material: Copper alloy, lead-free, contact surface: silver-plated, connection cross section: 2.5 $mm^2$ ... 2.5 $mm^2$, AWG 14

## CK2,5-ED-4,00M AG - Crimp contact

1273620

https://www.phoenixcontact.com/us/products/1273620



Crimp contact, contact diameter: 2.5 mm, turned, Pin, contact material: Copper alloy, lead-free, contact surface: silver-plated, connection cross section: 4 $mm^2$ ... 4 $mm^2$, AWG 12

## CK2,5-ED-4,00M AU - Crimp contact

1273568

https://www.phoenixcontact.com/us/products/1273568



Crimp contact, contact diameter: 2.5 mm, turned, Pin, contact material: Copper alloy, lead-free, contact surface: gold-plated, connection cross section: 4 $mm^2$ ... 4 $mm^2$, AWG 12

## CK2,5-ED-4,00F AU - Crimp contact

1271372

https://www.phoenixcontact.com/us/products/1271372



Crimp contact, contact diameter: 2.5 mm, turned, Socket, contact material: Copper alloy, lead-free, contact surface: gold-plated, connection cross section: 4 $mm^2$ ... 4 $mm^2$, AWG 12

## CK2,5-ED-4,00F AG - Crimp contact

1273604

https://www.phoenixcontact.com/us/products/1273604



Crimp contact, contact diameter: 2.5 mm, turned, Socket, contact material: Copper alloy, lead-free, contact surface: silver-plated, connection cross section: 4 $mm^2$ ... 4 $mm^2$, AWG 12

## CK4,0-ED-1,50M AG - Crimp contact

1274097

https://www.phoenixcontact.com/us/products/1274097



Crimp contact, contact diameter: 4 mm, turned, Pin, contact material: Copper alloy, lead-free, contact surface: silver-plated, connection cross section: 1.5 $mm^2$ ... 1.5 $mm^2$, AWG 16

## CK4,0-ED-1,50F AG - Crimp contact

1274089

https://www.phoenixcontact.com/us/products/1274089



Crimp contact, contact diameter: 4 mm, turned, Socket, contact material: Copper alloy, lead-free, contact surface: silver-plated, connection cross section: 1.5 $mm^2$ ... 1.5 $mm^2$, AWG 16

## CK4,0-ED-2,50M AG - Crimp contact

1274094

https://www.phoenixcontact.com/us/products/1274094



Crimp contact, contact diameter: 4 mm, turned, Pin, contact material: Copper alloy, lead-free, contact surface: silver-plated, connection cross section: 2.5 $mm^2$ ... 2.5 $mm^2$, AWG 14

## CK4,0-ED-2,50F AG - Crimp contact

1274088

https://www.phoenixcontact.com/us/products/1274088



Crimp contact, contact diameter: 4 mm, turned, Socket, contact material: Copper alloy, lead-free, contact surface: silver-plated, connection cross section: 2.5 $mm^2$ ... 2.5 $mm^2$, AWG 14

## CK4,0-ED-4,00M AG - Crimp contact

1274093

https://www.phoenixcontact.com/us/products/1274093



Crimp contact, contact diameter: 4 mm, turned, Pin, contact material: Copper alloy, lead-free, contact surface: silver-plated, connection cross section: 4 $mm^2$ ... 4 $mm^2$, AWG 12

## CK4,0-ED-4,00F AG - Crimp contact

1274087

https://www.phoenixcontact.com/us/products/1274087



Crimp contact, contact diameter: 4 mm, turned, Socket, contact material: Copper alloy, lead-free, contact surface: silver-plated, connection cross section: 4 $mm^2$ ... 4 $mm^2$, AWG 12

## CK4,0-ED-4,00BU AG - Crimp contact

1663297

https://www.phoenixcontact.com/us/products/1663297



Crimp contact, contact diameter: 4 mm, turned, Socket, contact material: Copper alloy, contact surface: silver-plated, connection cross section: 4 $mm^2$ ... 4 $mm^2$, AWG 12

## CK4,0-ED-4,00ST AG - Crimp contact

1663255

https://www.phoenixcontact.com/us/products/1663255



Crimp contact, contact diameter: 4 mm, turned, Pin, contact material: Copper alloy, contact surface: silver-plated, connection cross section: 4 $mm^2$ ... 4 $mm^2$, AWG 12

## CK4,0-ED-2,50BU AG - Crimp contact

1663284

https://www.phoenixcontact.com/us/products/1663284



Crimp contact, contact diameter: 4 mm, turned, Socket, contact material: Copper alloy, contact surface: silver-plated, connection cross section: 2.5 $mm^2$ ... 2.5 $mm^2$, AWG 14

## CK4,0-ED-2,50ST AG - Crimp contact

1663242

https://www.phoenixcontact.com/us/products/1663242



Crimp contact, contact diameter: 4 mm, turned, Pin, contact material: Copper alloy, contact surface: silver-plated, connection cross section: 2.5 $mm^2$ ... 2.5 $mm^2$, AWG 14

## CK4,0-ED-1,50BU AG - Crimp contact

1663271

https://www.phoenixcontact.com/us/products/1663271



Crimp contact, contact diameter: 4 mm, turned, Socket, contact material: Copper alloy, contact surface: silver-plated, connection cross section: 1.5 $mm^2$ ... 1.5 $mm^2$, AWG 16

# UNIFOX RT-CK 4.0 - Contact removal tool

1072064

https://www.phoenixcontact.com/us/products/1072064

## CK4,0-ED-1,50ST AG - Crimp contact

1663239

https://www.phoenixcontact.com/us/products/1663239



Crimp contact, contact diameter: 4 mm, turned, Pin, contact material: Copper alloy, contact surface: silver-plated, connection cross section: 1.5 $mm^2$ ... 1.5 $mm^2$, AWG 16

Phoenix Contact 2024 © - all rights reserved
https://www.phoenixcontact.com

Phoenix Contact USA
586 Fulling Mill Road
Middletown, PA 17057, United States
(+717) 944-1300
info@phoenixcon.com